

## TOOL SETS


# TOOLS

### 99SM or 99SMX. 23 piece kits contain:


- (1) Regular Screwdriver Handle 99-1
- (1) Stubby Screwdriver Handle 99-3
- (9) Regular Nutdrivers 99-6 to 12, 14, 16
- (3) Stubby Nutdrivers 99-S8, 99-S10, 99-S12
- (2) Slotted Screwdrivers 99-811, 99-250
- (2) Phillips Screwdrivers 99-821, 99-822
- (1) Reamer 99-38
- (1) Extension 99-X-10
- (1) Long Nose 6" Pliers 52CG
- (1) 5" Diagonal Pliers 55CG
- (1) 6" Adjustable Wrench 46CG

**99SM XCE** (canvas case)

**99SMX XCE** (plastic case)




99-SM XCE



### 99SMWX. 26 piece kits contain:

- (1) Soldering Iron WP25
- (1) 1/8" Screwdriver Tip ST3
- (1) Regular Screwdriver Handle 99-1
- (1) Stubby Screwdriver Handle 99-3
- (9) Regular Nutdrivers 99-6 to 12, 14, 16
- (3) Stubby Nutdrivers 99-S8, 99-S10, 99-S12
- (2) Slotted Screwdrivers 99-811, 99-250
- (2) Phillips Screwdrivers 99-821, 99-822
- (1) Reamer 99-38
- (1) Extension 99-X-10
- (1) Long Nose 6" Pliers 52CG
- (1) 5" Diagonal Pliers 55CG
- (1) 6" Adjustable Wrench 46CG
- (1) No. 100 wire stripper/cutter 100-X

**99SMWX** (plastic case)




99-SMX

### 99MP or 99MPX 39 piece multi-purpose kits contain:


- (1) Regular Screwdriver Handle 99-1
- (1) Tee Screwdriver Handle 99-4
- (1) 1/4" Magnetic Nutdriver 99-8M
- (9) Regular Nutdrivers 99-6 to 12, 14, 16
- (9) Allen Hex Screwdrivers 99-20 to 26, 764, 964
- (9) Bristol Multi-Spline Screwdrivers 99-61 to 69
- (4) Slotted Screwdrivers 99-125, 250, 312, 811
- (3) Phillips Screwdrivers 99-820 to 822
- (1) Reamer 99-38
- (1) Extension 99-X5

**99MP** (canvas case)


**99MPX** (plastic case)




99-MP



99-PS-50



99-PR



99-PS-41

### SHANK & HANDLE TOOL SETS

**ALLEN HEX SET**—99-1 handle, 99-20 to 99-26 plus 99-764, 99-964 Allen hex, 99-X5 extension.

**99PS-40 XCE**

**ALLEN HEX SET, BALLPOINT**—99-20BP to 99-23BP & 99-764BP, 99-24BP, 99-264BP, 99-25BP, 99-26BP Allen hex; 99-1 handle, 99-X5 extension.

**99PS-40BP XCE**

**ALLEN HEX SET, METRIC**—Metric sizes 2.6, 3, 4, 5, 6, 8, 10 plus 99-1 handle, 99-X5 extension.

**99PS-41MM XCE**

**ALLEN HEX SET, METRIC, BALLPOINT**—99-71MMBP to 99-77MMBP metric hex; 99-1 handle, 99-X5 extension.

**99PS-41MMBP XCE**

**BRISTOL SET**—99-61 to 99-69 bristol plus 99-1 handle, 99-X5 extension.

**99PS-60 XCE**

**CORDLESS SCREWDRIVER TOOL KIT**—For use with cordless rechargeable screwdrivers. 12 piece set in vinyl carrying pouch: 99-S6 to 12 nutdrivers; 99-S811, 99-S250 slotted; 99-S821, 99-S822 Phillips; 99-PA adapter.

**99PA50 XCE**

**NUTDRIVER SET, METRIC**—99-4MM to 99-11MM nutdrivers; 99-1 handle, 99-X5 extension.

**99PS-51MM XCE**

**PERSONAL COMPUTER REPAIR KIT**—13 piece kit: 99-820, 99-831 Phillips; 99-811 slotted; 99-10XTD, 99-15XTD torx; 99-6, 99-8 hex; 99-1 handle.

**99SPC XCE**

**ROLL TOOL KIT**—14 piece nutdriver & screwdriver set: 99-1 handle, 99-6 to 99-16 nutdrivers, 99-811, 99-250 slotted, 99-821, 99-822 Phillips

**99PR XCE** (complete roll kit) **99K XCE** (canvas case only)

**SCRULOX KIT**—Plastic view case, 6 piece set: 99-1 handle; 99SL-0 to 3 Scrulox; 99-250 slotted.

**99SL XCE**

**SCREWDRIVER & NUTDRIVER SET**—99-9 to 99-12 nutdrivers; 99-811 & 99-250 slotted, 99-821 & 99-822 Phillips, 99-X5 extension, 99-1 handle.

**99-PS-50 XCE**


**TORX KIT**—Torx sizes 10, 15, 20, 25, 27, 30 plus 99-1 handle.

**99-XTD7 XCE**

### UTILITY PLIERS


SIZE (inches)	TYPE	PART #
5	IGNITION	<b>50CG XCE</b>
6	"GAS" combination slip joint	<b>76C XCE</b>
7	TONGUE & GROOVE	<b>53CG XCE</b>
8	CHAIN NOSE	<b>59CG XCE</b>
8	SIDE CUTTING	<b>50-8C CRE</b>
8	"GAS" combination slip joint	<b>78C XCE</b>
10	TONGUE & GROOVE	<b>R210C CRE</b>

50-6C CRE 6"  
50-8C CRE 8"




SIDE CUTTING

76C XCE 6"  
78C XCE 8"



R210C CRES  
10"




59CG 8"  
RED GRIPS  
CHAIN NOSE PLIERS




IGNITION PLIERS

50CG 5"  
RED HANDLES



LN54CG




L4 DIA




57CG 5-11/16"

RED GRIPS




CN255C DIA


THIN BENT NOSE



Crescent®  
6" Long Chain  
Nose Pliers  
1033-6C



SN55C



SEIZERS

**HEMOSTATS**—Siezers have 3 position snap lock; stainless steel.

**32H XCE** (straight noze, smooth jaws)

**33H XCE** (curved nose, smooth jaws)

**42H XCE** (straight nose, serrated jaws)



**43H XCE** (curved nose, serrated jaws)

### NEEDLE NOSE PLIERS








SIZE	NOSE	HANDLE	PART #
4"	LONG, SERRATED	GREEN PLASTIC	<b>L4 DIA spring loaded</b>
4 3/4"	SHORT, FLAT	GREEN PLASTIC	<b>DN54 DIA spring loaded</b>
4 3/4"	MIDGET CHAIN	GREEN PLASTIC	<b>LN54 DIA spring loaded</b>
4 3/4"	EXTRA THIN LONG NEEDLE	GREEN PLASTIC	<b>NN54 DIA</b>
4 3/4"	MINI-NEEDLE serrated	BLUE FOAM	<b>4024SD PRO lifetime warr.</b>
5-1/8"	THIN BENT	GREEN PLASTIC	<b>CN255 DIA spring loaded</b>
5 1/2"	LONG CHAIN W/CUTTER	GREEN PLASTIC	<b>SN55 DIA spring loaded</b>
5 3/4"	NEEDLE, serrated	BLUE FOAM	<b>4016SD PRO* lifetime warr.</b>
5-11/16"	NEEDLE, serrated	RED PLASTIC	<b>57CG XCE spring loaded</b>
6"	NEEDLE	GREEN PLASTIC	<b>NN7776 DIA spring loaded</b>
6"	LONG	RED PLASTIC	<b>1033-6C CRE</b>
6"	LONG W/CUTTER	RED PLASTIC	<b>51CG XCE</b>
8"	CHAIN W/LONG REACH	RED PLASTIC	<b>59CG XCE spring loaded</b>
*SPRING LOADED			

# WIRE CUTTERS


# TOOLS




WIRE CUTTERS				
SIZE (inches)	CUT	NOSE	HANDLE	PART #
4	REGULAR	ROUNDED	RED PLASTIC	54CG XCE
4	REGULAR	POINTED	RED PLASTIC	64CG XCE spring loaded
4	SEMI-FLUSH	ROUNDED	GREEN PLASTIC	MS54 DIA
4*	FLUSH	POINTED	BLUE FOAM	MS545J DIA spring loaded
4 STAINLESS	FLUSH	POINTED	BLUE FOAM	117CG XCE spring loaded
4¼	SEMI-FLUSH	ROUNDED	BLUE FOAM lifetime warr.	4012SD PRO spring loaded
4¼	FLUSH	POINTED	BLUE FOAM lifetime warr.	4008SD PRO+ spring loaded
4½	REGULAR	ROUNDED	GREEN PLASTIC	S54S DIA spring loaded
5	FLUSH	POINTED	BLUE PLASTIC	170M UNG
5	REGULAR	ROUNDED	BLACK FOAM lifetime warr.	5002S PRO spring loaded
5	FLUSH	POINTED	GREEN PLASTIC	S475JS DIA spring loaded
6	REGULAR	ROUNDED	RED PLASTIC	66CG XCE
6	REGULAR	POINTED	GREEN PLASTIC	1178M UNG
7	REGULAR	ROUNDED	RED PLASTIC	542-7C CRE
*SPRING LOADED				



## Xcelite®




**2/0 ALUMINUM OR COPPER CABLE CUTTER**—Heavy duty forged steel. Japan.  
727 GREENLEE




**350 MCM COPPER, 500 MCM ALUMINUM RATCHET CABLE CUTTER**—Compact, portable, built to last. Japan.  
752 GREENLEE

# TOOLS

## CUTTERS & STRIPPERS



XN-100 XCE



XN-200 XCE




XN-210 XCE

**PRECISION KNIFE SET**—Includes 2 knives (XN-100 & XN-200) and 10 assorted blades that are interchangeable with other popular hobby knives. **XNS-100 XCE**




Fit XN-100 handle




Fit XN-200, 210, 220 & 300 handles

**Wiss® Utility Knife**


WK-1 WISS



REPLACEMENTBLADE  
FWK-12 Rapid-Change™ heavy-duty 025




ELECTRICIAN'S KNIFE  
K-22 XCE



175E5V WISS

5"


ELECTRICIAN'S SCISSORS



44CG XCE (4")

46CG XCE (6")

48CG XCE (8")



"T" STRIPPER

**"T" STRIPPER (WIRE STRIPPER)**—Industry standard for over 30 years! **RED handle (45-121 IDEAL)** is for 16-26 awg stranded wire. **YELLOW handle (45-125 IDEAL)** is for 22-30 awg solid wire.



200-009 ECL

**ROUND CABLE STRIPPING TOOL**—For stripping round cables from .18" to 1.0" in diameter. Adjustable incision depth for insulation thickness up to .18". **200-009 ECL**



103-S XCE  
WIRE STRIPPER

CAM ADJUSTMENT

**SMALL XCELITE WIRE STRIPPERS**—Adjustable screw stop for different wire sizes. Cuts & strips both solid & stranded wire. Red handles. **100-X XCE** The 103-S XCE (pictured) is like the 100-S XCE but with a unique cam stop adjustment for different wire sizes. For industrial use. **103-S XCE**


**LARGE XCELITE WIRE STRIPPERS**—Cutter, stripper, and crimper with bolt cutter! 8 1/4" long. **104CG XCE**



104CG XCE

WIRE CUTTER & STRIPPER

8 1/4"



86CG XCE


ELECTRONIC SNIPS

6 1/2"

**SNIPS**—Electronic snip with cut pointed 1 1/2" blade prevents peaks on fine wire and filaments. Also for removing insulation and cutting light sheet metal. Coil opens blades, latch holds them closed. **86CG XCE**

**"MINI-STRIPAX PLUS" BY PALADIN**—Strips 18-32 awg PVC or teflon, solid or stranded wire. **PA1115P PAL** (extra blades: PA2108 PAL)

**TELEPHONE WIRE STRIPPER**—For both flat & round cable (UTP & STP wire). **200-016 ECL**



Strip length adjustment.

Cable cutter.


Blade cleaning brush.

stripax®

# STRIPPERS



# TOOLS

**XCELITE COAX STRIPPER**—The fastest accurate coax-stripping system available. Coaxial cable from .10" to .30" (1.87-7.6mm) in thickness (**RG178 up to RG6**) can be stripped in seconds with the Xcelite stripping system. **2- or 3-step** strips are made by revolving the closed cassette around the cable. The cassette's precise cutting blades will remove dielectric, braid, and outside insulation simultaneously or in any combination. The Xcelite system is available with different color-coded cassettes, designed to meet anyone's exact stripping specifications. Cassettes can be changed in seconds.



**Xcelite®**

EXTRA "V" BLOCKS (for coax strippers)		
COAX	V-BLOCK COLOR	V-BLOCK #
RG58	BLUE	V-MD XCE
RG59,62	BLUE	V-MD XCE
RG174	WHITE	V-SUB XCE
RG6	YELLOW	V-LG XCE
BELDEN 8281	YELLOW	V-LG XCE
RG195,180	RED	V-SM XCE



COAX STRIPPERS (pre-adjusted)					
# STEPS	"B" WIDTH	"C" WIDTH	PART #	EXTRA BLADE	FOR USE WITH:
2	0.24	-	2CS5962-R	2C-R XCE	Single crimp F & BNC for RG59,62.
2	0.27	-	2CS5962-B	2C-B XCE	twist-on BNC/TNC & UHF for RG58
2	0.47	-	2CS5962-Y	2C-Y XCE	Amphenol UHF crimp for RG58,59
3	0.328	0.109	3CS5859-B	3C-BR XCE	Dual crimp Amphenol BNC/TNC for RG58,59.
3	0.235	0.235	3CS5859-G	3C-GN XCE	Dual crimp Kings BNC for RG58,59


**Moody® Tools, Inc.**

**Hex Set** —1 plastic handle and 6 hardened blades: .028", .035", .050", .062", .078", .093". **58-0189 MOO 76-1572 MOO** (a single .9mm metric Allen)

**Magnetic Pick-Up** — Shirt-pocket size (5" long) with 1/4" diameter handle.



**POLLICIS Screwdrivers, Slotted & Phillips Set** — 5 slotted (5/64, 3/32, 1/8, 9/64, 5/32) and 3 Phillips (#00, #0, #1). Hardened black tips, blue plastic handle, anti-static, ergonomic, with Swivtop, 6 1/2" long. **58-0390 MOO**




**Screwdriver Set, JIS-type S** —1 steel handle, 5 blades: 1.4mm, 000, 00, 0, 1. **58-0218 MOO**

**Screwdriver Set, Phillips** — One handle (plastic) and 4 hardened blades: #000, 00, 0, 1. **58-0204 MOO 76-1531 MOO** (a single #0 driver)

**Screwdriver Set, Combo** —1 steel handle, 3 slotted and 2 Phillips blades. **58-0139 MOO**

**Screwdriver, Reversible Tip** — .062" slotted and 087". Swivtop. 4 1/4" length. **76-1563 MOO**  **76-1563 MOO**

**Screwdriver Set, Slotted** — One handle and 6 hardened & tempered blades: .025", .400", .055", .070", .080", .100". **58-0114 MOO** (metal handle) **58-0186 MOO** (plastic handle) **58-0116 MOO** (same as 58-0114 except each blade has its own handle).

**Scribe** — Hardened point, one straight and one 90°. 8 1/4" long. **76-1512 MOO**  **76-1512 MOO**

**Tool Roll, Miniature** —1 extension, 2 handles, 27 blades: 4 slotted screwdriver (.055", .070", .080", .100"), 3 Phillips (#00, #0, #1), 6 hex (.028", .035", .050", .062", .078", .093"), 6 torx (T-6, T-7, T-8, T-9, T-10, T-15), 3 socket wrenches (7/67, 1/8, 5/32), 4 open end wrenches (7/64, 1/8, 5/32, 3/16). **59-0245 MOO**

**Tool Set, Mini** —1 handle, 10 blades: 2 Phillips, 4 slotted, 1 awl, 3 hex. **58-0119 MOO**

**Torx Set** —1 steel handle, 8 blades: T-3, 4, 5, 6, 8, 10, TP-8 and TP-10. **55-0280 MOO 58-0282 MOO** (same as 55-0280 except plastic handle)